



JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)
Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC118372600004570F

Sample Name	TURMERIC POWDER		
Report No.	JLFD260403032	Batch No.	LT-LCS-2604-01
Sample Code	NA	Mfg. Date	03/04/2026
Date of Received	03/04/2026	Exp. Date	02/01/2027
Started of Analysis	03/04/2026	Sample Condition	OK
End of Analysis	13/04/2026	Sample Qty.	1 kg
Report Release Date	14/04/2026	Ref. No.	019 Dt: 03.04.2026
Sample Submitted By	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011		
Test Report Issued to	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011 GUJARAT		
Environment Condition	Temperature (°C) - As per Standard, Relative Humidity (%) - As per Standard		

TEST RESULTS

Reference : As Per Food Safety & Standard Regulation, 2011.

Sl. No.	Test Parameters	Units	Results	LIMITS AS PER FSSR 2011	Method of test
CHEMICAL EXAMINATION					
1	Moisture	% w/w	7.21	Max 10.0	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.003: 2021
2	Total Ash (ODB)	% w/w	6.90	Max 9.0	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.006: 2021
3	Ash insoluble in dilute HCL (ODB)	% w/w	0.24	Max 1.5	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.007: 2021
4	Colouring powder expressed as Curcuminoid Content (ODB)	% w/w	8.61	Min 2.0	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.030: 2021
5	Total Starch	% w/w	43.82	Max 60.0	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.032: 2021
6	Test For lead Chromate	% w/w	Negative	Should be Negative	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.033: 2021
7	Added Colouring Matter	---	Absent	Should be Absent	FSSAI Manual Food Additives S.

14/04/26,
Review by



Authorised Signatory
Kuldeep Singh
Technical Manager-Chemical

Page No.1 of 6

NOTE :

- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
- Total liability of this Laboratory is limited to the invoice amount.
- This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
- Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
- Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.



JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC1183726000004570F

Sample Name	TURMERIC POWDER		
Report No.	JLFD260403032	Batch No.	LT-LCS-2604-01
Sample Code	NA	Mfg. Date	03/04/2026
Date of Received	03/04/2026	Exp. Date	02/01/2027
Started of Analysis	03/04/2026	Sample Condition	OK
End of Analysis	13/04/2026	Sample Qty.	1 kg
Report Release Date	14/04/2026	Ref. No.	019 Dt: 03.04.2026
Sample Submitted By	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011		
Test Report Issued to	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011 GUJARAT		
Environment Condition	Temperature (°C) - As per Standard, Relative Humidity (%) - As per Standard		

TEST RESULTS

Reference : As Per Food Safety & Standard Regulation, 2011.

Sl. No.	Test Parameters	Units	Results	LIMITS AS PER FSSR 2011	Method of test
					NO. 42 Page No. 82
8	Free from Mustiness or other foreign odour	---	Absent	Should be free from Mustiness or other foreign odour	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.002: 2021
9	Free from mould	---	Absent	Should be free from mould	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.002: 2021
10	Free from living And dead Insect	---	Absent	Should be free from Free from living And dead Insect	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.002: 2021
11	Free from Insect Fragment and Rodent contamination	---	Absent	Should be free from Free from Insect Fragment and Rodent contamination	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.002: 2021
MICROBIOLOGICAL EXAMINATION					
12	Salmonella	Per 25g	Absent	Absent	Manual of Methods of Analysis-Microbiological Examination of Food and Water, Method No. FSSAI 15.0

14/04/26
Review by



Authorised Signatory
Kuldeep Singh
Technical Manager-Chemical

Page No.2 of 6

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.



JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC118372600004570F

Sample Name	TURMERIC POWDER		
Report No.	JLFD260403032	Batch No.	LT-LCS-2604-01
Sample Code	NA	Mfg. Date	03/04/2026
Date of Received	03/04/2026	Exp. Date	02/01/2027
Started of Analysis	03/04/2026	Sample Condition	OK
End of Analysis	13/04/2026	Sample Qty.	1 kg
Report Release Date	14/04/2026	Ref. No.	019 Dt: 03.04.2026
Sample Submitted By	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011		
Test Report Issued to	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011 GUJARAT		
Environment Condition	Temperature (°C) - As per Standard, Relative Humidity (%) - As per Standard		

TEST RESULTS

Reference : As Per Food Safety & Standard Regulation, 2011.

Sl. No.	Test Parameters	Units	Results	LIMITS AS PER FSSR 2011	Method of test
13	Aerobic Colony Count	cfu/g	3.54 x 10 ³	Max 1 x 10 ⁷	Manual of Methods of Analysis-Microbiological Examination of Food and Water , Method No. FSSAI 15.0
14	Yeast & Mould Count	cfu/g	3.27 x 10 ²	Max 1 x 10 ⁵	Manual of Methods of Analysis-Microbiological Examination of Food and Water , Method No. FSSAI 15.0
15	Bacillus cereus	cfu/g	<10	Max 1 x 10 ⁴	Manual of Methods of Analysis-Microbiological Examination of Food and Water , Method No. FSSAI 15.0
16	Enterobacteriaceae	cfu/g	<10	Max 1 x 10 ³	Manual of Methods of Analysis-Microbiological Examination of Food and Water , Method No. FSSAI 15.0
17	Sulphite Reducing Clostridia	cfu/g	<10	Max 1 x 10 ³	Manual of Methods of Analysis-Microbiological Examination of Food and Water , Method No FSSAI 15.0

Review by



Authorized Signatory
Kuldeep Singh
Technical Manager-Chemical

Page No.3 of 6

NOTE :

- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
- Total liability of this Laboratory is limited to the invoice amount.
- This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
- Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
- Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.



JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-Ist, Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC118372600004570F

Sample Name	TURMERIC POWDER		
Report No.	JLFD260403032	Batch No.	LT-LCS-2604-01
Sample Code	NA	Mfg. Date	03/04/2026
Date of Received	03/04/2026	Exp. Date	02/01/2027
Started of Analysis	03/04/2026	Sample Condition	OK
End of Analysis	13/04/2026	Sample Qty.	1 kg
Report Release Date	14/04/2026	Ref. No.	019 Dt: 03.04.2026
Sample Submitted By	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011		
Test Report Issued to	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011 GUJARAT		
Environment Condition	Temperature (°C) - As per Standard, Relative Humidity (%) - As per Standard		

TEST RESULTS

Reference : As Per Food Safety & Standard Regulation, 2011.

Sl. No.	Test Parameters	Units	Results	LIMITS AS PER FSSR 2011	Method of test
18	Staphylococcus aureus	Per g	<10	Max 1 x 10 ³	Manual of Methods of Analysis- Microbiological Examination of Food and Water, Method No. FSSAI 15.0
METALS					
19	Lead (as Pb)	mg/kg	BLQ(DL 0.01)	NMT 10.0	JL/CS/STP/22
20	Arsenic (as As)	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/22
21	Copper (as Cu)	mg/kg	BLQ(DL 0.01)	NMT 5.0	JL/CS/STP/22
22	Tin (as Sn)	mg/kg	BLQ(DL 0.01)	NMT 0.01	JL/CS/STP/22
23	Cadmium (as Cd)	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/22
24	Mercury (as Hg)	mg/kg	BLQ(DL 0.001)	NMT 1.0	JL/CS/STP/22
CROP CONTAMINATION					
25	Total Aflatoxin (B1+B2+G1+G2)	µg/kg	BLQ(DL 1.0)	NMT 30.0	JL/CS/STP/03
26	Aflatoxin B1	µg/kg	BLQ(DL 1.5)	NMT 15.0	JL/CS/STP/08
OTHER CONTAMINATION					
27	Melamine	mg/kg	BLQ(DL 0.05)	NMT 2.5	JL/CS/STP/17
PESTICIDES RESIDUES					
28	Chlorantraniliprole	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
29	Cyantranilipole	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23

14/04/26,
Review by



Authorised Signatory
Kuldeep Singh
Technical Manager-Chemical

Page No.4 of 6

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.



TC-11837

JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC118372600004570F

Sample Name	TURMERIC POWDER		
Report No.	JLFD260403032	Batch No.	LT-LCS-2604-01
Sample Code	NA	Mfg. Date	03/04/2026
Date of Received	03/04/2026	Exp. Date	02/01/2027
Started of Analysis	03/04/2026	Sample Condition	OK
End of Analysis	13/04/2026	Sample Qty.	1 kg
Report Release Date	14/04/2026	Ref. No.	019 Dt: 03.04.2026
Sample Submitted By	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011		
Test Report Issued to	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011 GUJARAT		
Environment Condition	Temperature (°C) - As per Standard, Relative Humidity (%) - As per Standard		

TEST RESULTS

Reference : As Per Food Safety & Standard Regulation, 2011.

Sl. No.	Test Parameters	Units	Results	LIMITS AS PER FSSR 2011	Method of test
30	Diafenthuron	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
31	Epoxyconazole	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
32	Fenpyroximate	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
33	Flubendiamide	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
34	Fosetyl-Al	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
35	Imidacloprid	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
36	Indoxacarb	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
37	Kresoxim Methyl	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
38	Lufenuron	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
39	Monocrotophos	mg/kg	BLQ(DL 0.01)	NMT 0.01	JL/CS/STP/23
40	Oxadiazyl	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
41	Pyraclostrobin	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
42	Quinalphos	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
43	Tebuconazole	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
44	Triadimefon	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
45	Trifloxystrobin	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23

14/04/26
Review by



Authorised Signatory
Kuldeep Singh
Technical Manager-Chemical

Page No.5 of 6

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.



JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT


ULR No. : TC118372600004570F

Sample Name	TURMERIC POWDER		
Report No.	JLFD260403032	Batch No.	LT-LCS-2604-01
Sample Code	NA	Mfg. Date	03/04/2026
Date of Received	03/04/2026	Exp. Date	02/01/2027
Started of Analysis	03/04/2026	Sample Condition	OK
End of Analysis	13/04/2026	Sample Qty.	1 kg
Report Release Date	14/04/2026	Ref. No.	019 Dt: 03.04.2026
Sample Submitted By	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011		
Test Report Issued to	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011 GUJARAT		
Environment Condition	Temperature (°C) - As per Standard, Relative Humidity (%) - As per Standard		

The above sample confirms to as per Food Safety & Standard Regulation, 2011.

with respect to the above tests only. BLQ - Below Limit of Quantification, DL- Detection Limit

END OF REPORT



[Signature]
14/04/26
Review by



[Signature]
Authorised Signatory
Kuldeep Singh
Technical Manager-Chemical

Page No.6 of 6

NOTE :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
2. Total liability of this Laboratory is limited to the invoice amount.
3. This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
4. Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
5. Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories unless mentioned otherwise.