



TC-11837

JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)
 Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC118372600004569F

Sample Name	CHILLI POWDER		
Report No.	JLFD260403030	Batch No.	KRC-PSF-2604-01
Sample Code	NA	Mfg. Date	03/04/2026
Date of Received	03/04/2026	Exp. Date	02/01/2027
Started of Analysis	03/04/2026	Sample Condition	OK
End of Analysis	13/04/2026	Sample Qty.	1 kg
Report Release Date	14/04/2026	Ref. No.	019 Dt: 03.04.2026
Sample Submitted By	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011		
Test Report Issued to	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011 GUJARAT		
Environment Condition	Temperature (°C) - As per Standard, Relative Humidity (%) - As per Standard		

TEST RESULTS

Reference : As Per Food Safety & Standard Regulation, 2011.

Sl. No.	Test Parameters	Unit	Results	Specification	Method of Test
CHEMICAL EXAMINATION					
1	Moisture	% w/w	5.89	Max 11.0	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.003: 2021
2	Total Ash (ODB)	% w/w	6.76	Max 8.0	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.006: 2021
3	Ash insoluble in dilute HCL (ODB)	% w/w	0.33	Max 1.3	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.007: 2021
4	Crude Fiber	% w/w	20.93	Max 30.0	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.014: 2021
5	Non Volatile ether extract (ODB)	% w/w	16.08	Min 12.0	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.012: 2021
6	Added Colouring Matter	% w/w	Absent	Should be free from Added colouring matter	FSSAI Manual Food Additives S. NO. 42 Page No. 82

14/04/26
Review by



Authorised Signatory
Kuldeep Singh
Technical Manager-Chemical

Page No.1 of 6

NOTE :

- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
- Total liability of this Laboratory is limited to the invoice amount.
- This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
- Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
- Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories (OPC) Pvt. Ltd. unless mentioned otherwise.



TC-11837

JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)
 Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC118372600004569F

Sample Name	CHILLI POWDER		
Report No.	JLFD260403030	Batch No.	KRC-PSF-2604-01
Sample Code	NA	Mfg. Date	03/04/2026
Date of Received	03/04/2026	Exp. Date	02/01/2027
Started of Analysis	03/04/2026	Sample Condition	OK
End of Analysis	13/04/2026	Sample Qty.	1 kg
Report Release Date	14/04/2026	Ref. No.	019 Dt: 03.04.2026
Sample Submitted By	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011		
Test Report Issued to	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011 GUJARAT		
Environment Condition	Temperature (°C) - As per Standard, Relative Humidity (%) - As per Standard		

TEST RESULTS

Reference : As Per Food Safety & Standard Regulation, 2011.

Sl. No.	Test Parameters	Unit	Results	Specification	Method of Test
7	Scoville Heat Units (SHU)	SHU	38567	Not Specified	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.038: 2021
8	Free from Mould	---	Absent	Should be Free from Mould	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.002: 2021
9	Free from Living and dead Insect	---	Absent	Should be Free from Living and dead Insect	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.002: 2021
10	Free from Insect fragment	---	Absent	Should be Free from Insect fragment	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.002: 2021
11	Free from Rodent contamination	---	Absent	Should be Free from Rodent contamination	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.002: 2021
12	Free from Dirt,flavoring Matter	---	Absent	Should be Free from Dirt,flavoring Matter	FSSAI Manual Spices Herbs and Condiments, Method No FSSAI 10.002: 2021
13	Free from mineral oil	---	Absent	Should be Free from	FSSAI Manual Spices Herbs and

14/04/26
 Review by



Authorised Signatory
 Kuldeep Singh
 Technical Manager-Chemical

Page No.2 of 6

NOTE :

- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
- Total liability of this Laboratory is limited to the invoice amount.
- This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
- Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
- Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories (OPC) Pvt. Ltd. unless mentioned otherwise.



JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)

Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT


ULR No. : TC1183726000004569F

Sample Name	CHILLI POWDER		
Report No.	JLFD260403030	Batch No.	KRC-PSF-2604-01
Sample Code	NA	Mfg. Date	03/04/2026
Date of Received	03/04/2026	Exp. Date	02/01/2027
Started of Analysis	03/04/2026	Sample Condition	OK
End of Analysis	13/04/2026	Sample Qty.	1 kg
Report Release Date	14/04/2026	Ref. No.	019 Dt: 03.04.2026
Sample Submitted By	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011		
Test Report Issued to	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011 GUJARAT		
Environment Condition	Temperature (°C) - As per Standard, Relative Humidity (%) - As per Standard		

TEST RESULTS

Reference : As Per Food Safety & Standard Regulation, 2011.

Sl. No.	Test Parameters	Unit	Results	Specification	Method of Test
				mineral oil	Condiments, Method No FSSAI 10.023: 2021
MICROBIOLOGICAL EXAMINATION					
14	Salmonella	Per 25g	Absent	Absent	Manual of Methods of Analysis- Microbiological Examination of Food and Water , Method No. FSSAI 15.016:2024
15	Aerobic Colony Count	cfu/g	7.00 x 10 ⁴	Max 1 x 10 ⁷	Manual of Methods of Analysis- Microbiological Examination of Food and Water , Method No. FSSAI 15.001:2024
16	Yeast & Mould Count	cfu/g	1.73 x 10 ³	Max 1 x 10 ⁵	Manual of Methods of Analysis- Microbiological Examination of Food and Water , Method No. FSSAI 15.023:2024
17	Bacillus cereus	cfu/g	<10	Max 1 x 10 ⁴	Manual of Methods of Analysis- Microbiological Examination of Food and Water , Method No. FSSAI 15.0:2024

Review by  14/04/2026




Authorised Signatory
Kuldeep Singh
Technical Manager-Chemical

NOTE :

- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
- Total liability of this Laboratory is limited to the invoice amount.
- This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
- Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
- Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories (OPC) Pvt. Ltd. unless mentioned otherwise.



JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)
Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC1183726000004569F

Sample Name	CHILLI POWDER		
Report No.	JLFD260403030	Batch No.	KRC-PSF-2604-01
Sample Code	NA	Mfg. Date	03/04/2026
Date of Received	03/04/2026	Exp. Date	02/01/2027
Started of Analysis	03/04/2026	Sample Condition	OK
End of Analysis	13/04/2026	Sample Qty.	1 kg
Report Release Date	14/04/2026	Ref. No.	019 Dt: 03.04.2026
Sample Submitted By	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011		
Test Report Issued to	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011 GUJARAT		
Environment Condition	Temperature (°C) - As per Standard, Relative Humidity (%) - As per Standard		

TEST RESULTS

Reference : As Per Food Safety & Standard Regulation, 2011.

Sl. No.	Test Parameters	Unit	Results	Specification	Method of Test
18	Enterobacteriaceae	cfu/g	<10	Max 1 x 10 ³	Manual of Methods of Analysis- Microbiological Examination of Food and Water , Method No. FSSAI 15.010:2024
19	Sulphite Reducing Clostridia	cfu/g	<10	Max 1 x 10 ³	Manual of Methods of Analysis- Microbiological Examination of Food and Water , Method No. FSSAI 15.008:2024
20	Staphylococcus aureus	Per g	<10	Max 1 x 10 ³	Manual of Methods of Analysis- Microbiological Examination of Food and Water , Method No. FSSAI 15.020:2024

METALS

21	Lead (as Pb)	mg/kg	BLQ(DL 0.01)	NMT 10.0	JL/CS/STP/22
22	Arsenic (as As)	mg/kg	BLQ(DL 0.01)	NMT 5.0	JL/CS/STP/22
23	Copper (as Cu)	mg/kg	BLQ(DL 0.01)	NMT 30.0	JL/CS/STP/22
24	Tin (as Sn)	mg/kg	BLQ(DL 0.01)	NMT 250.0	JL/CS/STP/22
25	Cadmium (as Cd)	mg/kg	BLQ(DL 0.001)	NMT 1.5	JL/CS/STP/22

Review by



Authorised Signatory
Kuldeep Singh
Technical Manager-Chemical

Page No.4 of 6

NOTE :

- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
- Total liability of this Laboratory is limited to the invoice amount.
- This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
- Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
- Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories (OPC) Pvt. Ltd. unless mentioned otherwise.



JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)
Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC118372600004569F

Sample Name	CHILLI POWDER		
Report No.	JLFD260403030	Batch No.	KRC-PSF-2604-01
Sample Code	NA	Mfg. Date	03/04/2026
Date of Received	03/04/2026	Exp. Date	02/01/2027
Started of Analysis	03/04/2026	Sample Condition	OK
End of Analysis	13/04/2026	Sample Qty.	1 kg
Report Release Date	14/04/2026	Ref. No.	019 Dt: 03.04.2026
Sample Submitted By	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011		
Test Report Issued to	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011 GUJARAT		
Environment Condition	Temperature (°C) - As per Standard, Relative Humidity (%) - As per Standard		

TEST RESULTS

Reference : As Per Food Safety & Standard Regulation, 2011.

Sl. No.	Test Parameters	Unit	Results	Specification	Method of Test
26	Mercury (as Hg)	mg/kg	BLQ(DL 0.001)	NMT 1.0	JL/CS/STP/22
CROP CONTAMINATION					
27	Total Aflatoxin (B1+B2+G1+G2)	µg/kg	BLQ(DL 1.0)	NMT 30.0	JL/CS/STP/03
28	Aflatoxin B1	µg/kg	BLQ(DL 1.5)	NMT 15.0	JL/CS/STP/08
OTHER CONTAMINATION					
29	Melamine	mg/kg	BLQ(DL 0.05)	NMT 2.5	JL/CS/STP/17
PESTICIDES RESIDUES					
30	Chlorantranilprole	mg/kg	BLQ(DL 0.01)	NMT 6.0	JL/CS/STP/23
31	Cyantranilpole	mg/kg	BLQ(DL 0.01)	NMT 0.5	JL/CS/STP/23
32	Diafenthiuron	mg/kg	BLQ(DL 0.01)	NMT 0.05	JL/CS/STP/23
33	Epoxyconazole	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
34	Fenpyroximate	mg/kg	BLQ(DL 0.01)	NMT 10.0	JL/CS/STP/23
35	Flubendiamide	mg/kg	BLQ(DL 0.01)	NMT 0.2	JL/CS/STP/23
36	Fosetyl-Al	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
37	Imidacloprid	mg/kg	BLQ(DL 0.01)	NMT 3.0	JL/CS/STP/23
38	Indoxacarb	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
39	Kresoxim Methyl	mg/kg	BLQ(DL 0.01)	NMT 1.5	JL/CS/STP/23

14/04/26,
Review by



Authorised Signatory
Kuldeep Singh
Technical Manager-Chemical

NOTE :

- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
- Total liability of this Laboratory is limited to the invoice amount.
- This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
- Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
- Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories (OPC) Pvt. Ltd. unless mentioned otherwise.



TC-11837

JAGDAMBA LABORATORIES (OPC) PVT. LTD.

(Formerly Known as Jagdamba Laboratories)

Govt. Approved Test House • ISO 9001: 2015 • GLP Certified Lab.

119, Solitaire Industrial Park, Phase-1st, Dahmi Kallan, Bagru, Jaipur - 303007 (Rajasthan)
Tel. : 0141-2390604 Email : jagdambalab4@gmail.com, jagdamba_lab@yahoo.com Web : jagdambalab.com



TESTING OF WATER | FOODS | ALCOHOLIC DRINKS | DRUGS | HERBALS | COSMETICS | CHEMICALS | MINERALS | BUILDING MATERIAL | METALS

TEST REPORT

ULR No. : TC1183726000004569F

Sample Name	CHILLI POWDER		
Report No.	JLFD260403030	Batch No.	KRC-PSF-2604-01
Sample Code	NA	Mfg. Date	03/04/2026
Date of Received	03/04/2026	Exp. Date	02/01/2027
Started of Analysis	03/04/2026	Sample Condition	OK
End of Analysis	13/04/2026	Sample Qty.	1 kg
Report Release Date	14/04/2026	Ref. No.	019 Dt: 03.04.2026
Sample Submitted By	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011		
Test Report Issued to	KEDARA NATURALS FLAT No C/803 8th FLOOR, SHIVALIK HEIGHTS, Opp. NARMADA COLLEGE, NEAR INDIAN OIL PETROL PUMP, TAVARA ROAD, JHADESHWAR (CT), BHARUCH-392011 GUJARAT		
Environment Condition	Temperature (°C) - As per Standard, Relative Humidity (%) - As per Standard		

TEST RESULTS

Reference : As Per Food Safety & Standard Regulation, 2011.

Sl. No.	Test Parameters	Unit	Results	Specification	Method of Test
40	Lufenuron	mg/kg	BLQ(DL 0.01)	NMT 0.5	JL/CS/STP/23
41	Monocrotophos	mg/kg	BLQ(DL 0.01)	NMT 2.0	JL/CS/STP/23
42	Oxadiargyl	mg/kg	BLQ(DL 0.01)	NMT 0.1	JL/CS/STP/23
43	Pyraclostrobin	mg/kg	BLQ(DL 0.01)	NMT 0.5	JL/CS/STP/23
44	Quinalphos	mg/kg	BLQ(DL 0.01)	NMT 2.0	JL/CS/STP/23
45	Tebuconazole	mg/kg	BLQ(DL 0.01)	NMT 4.0	JL/CS/STP/23
46	Triadimefon	mg/kg	BLQ(DL 0.01)	NMT 4.0	JL/CS/STP/23
47	Trifloxystrobin	mg/kg	BLQ(DL 0.01)	NMT 4.0	JL/CS/STP/23

The above sample confirms to As Per Food Safety & Standard Regulation, 2011. with respect to the above tests only.
BLQ - Below Limit of Quantification, DL- Detection Limit

END OF REPORT

[Signature]
14/04/26,
Review by



[Signature]
Authorised Signatory
Kuldeep Singh
Technical Manager-Chemical

Page No.6 of 6

NOTE :

- This report is not to be reproduced wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without special permission in writing
- Total liability of this Laboratory is limited to the invoice amount.
- This results listed refer only to the above sample and applicable parameter's Endorsement of products is neither inferred nor implied.
- Sample will be destroyed after one month (In case of nonperishable items only) the date of issue of test certificate unless otherwise specified.
- Report refer to the Sample Submitted to us and not drawn by Jagdamba Laboratories (OPC) Pvt. Ltd. unless mentioned otherwise.